Author Index

Agüera, A., see Fernandez-Alba, A.R. 686(1994)263
Albaigés, J., see Chalaux, N. 686(1994)275
Alvarez, C., Bertorello, H., Strumia, M. and Sanchez, E.I.
Synthesis and characterization of biospecific adsorbents containing glucose, usable to retain concanavalin A 686(1994)333
Aumatell, A., Wells, R.J. and Wong, D.K.Y.
Enantiomeric differentiation of a wide range of pharmacologically active substances by capillary electrophoresis using modified β-cyclodextrins 686(1994)293
Baillet, A., see Laugel, C. 686(1994)344
Ball, H.L., Bertolini, G., Levi, S. and Mascagni, P.
Purification of synthetic peptides with the aid of reversible chromatographic probes 686(1994)73
Bayona, J.M., see Chalaux, N. 686(1994)275
Bertolini, G., see Ball, H.L. 686(1994)73
Bertorello, H., see Alvarez, C. 686(1994)333
Born, J., see Grize, Y.-L. 686(1994)1
Bossi, A., Gelfi, C., Orsi, A. and Righetti, P.G.
Isoelectric focusing of histones in extremely alkaline immobilized pH gradients: comparison with capillary electrophoresis 686(1994)121
Boyes, B.E., see Chloupek, R.C. 686(1994)45
Bruno, T.J. and Caciari, M.
Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. III. Ethene-based compounds 686(1994)245
Byrd, D.W. and Freeman, D.C.
Automated static headspace sampler for gas chromatography 686(1994)235
Byrd, D.W., see Freeman, D.C. 686(1994)225
Caciari, M., see Bruno, T.J. 686(1994)245
Chalaux, N., Bayona, J.M. and Albaigés, J.
Determination of nonylphenols as pentafluorobenzyl derivatives by capillary gas chromatography with electron-capture and mass spectrometric detection in environmental matrices 686(1994)275
Chaminade, P., see Laugel, C. 686(1994)344
Chloupek, R.C., Hancock, W.S., Marchylo, B.A., Kirkland, J.J., Boyes, B.E. and Snyder, L.R.
Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. II. Selectivity effects observed in the separation of several peptide and protein mixtures 686(1994)45
Chloupek, R.C., see Hancock, W.S. 686(1994)31
Contreras, M., see Fernandez-Alba, A.R. 686(1994)263
Cramer, S.M., see Kim, Y.J. 686(1994)193
De Biasi, V., see Eckers, C. 686(1994)213
De Leer, E.W.B., see Peters, R.J.B. 686(1994)253
Desiderio, D.M., see Lee, H.G. 686(1994)309
East, P.B., see Eckers, C. 686(1994)213
Eckers, C., Hutton, K.A., De Biasi, V., East, P.B., Haskins, N.J. and Jacewicz, V.W.
Determination of clavam-2-carboxylate in clavulanate potassium and tablet material by liquid chromatography–tandem mass spectrometry 686(1994)213
Etzel, M.R., see Suen, S.-Y. 686(1994)179
Fernandez-Alba, A.R., Valverde, A., Agüera, A. and Contreras, M.
Gas chromatographic determination of organochlorine and pyrethroid pesticides of horticultural concern 686(1994)263
Ferrier, D., see Laugel, C. 686(1994)344
Foley, J.P., see Nielsen, K.R. 686(1994)283
Freeman, D.C. and Byrd, D.W.
Statistical treatment of large digital chromatographic data sets 686(1994)225
Freeman, D.C., see Byrd, D.W. 686(1994)235
Freitag, R., Frey, D. and Horváth, C.
Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165
Frey, D., see Freitag, R. 686(1994)165
Gelfi, C., see Bossi, A. 686(1994)121
Goffe, R.A., see Shi, J.Y. 686(1994)61
Gołkiewicz, W., Kuczyński, J., Markowski, W. and Jusiak, L.
High-performance liquid chromatography of some alkaloids on unmodified silica gel with aqueous–organic solvent mixtures 686(1994)85
Gray, H.B., see Lu, T. 686(1994)339
Greibrokk, T., see Pedersen-Bjergaard, S. 686(1994)109
Grize, Y.-L., Schmidli, H. and Born, J.
Effect of integration parameters on high-performance liquid chromatographic method development and validation 686(1994)1
Hancock, W.S., Chloupek, R.C., Kirkland, J.J. and Snyder, L.R.
Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. I. Optimizing the separation of a growth hormone tryptic digest 686(1994)31
Hancock, W.S., see Chloupek, R.C. 686(1994)45
Harpf, M., see Pohjola, J. 686(1994)350
Haskins, N.J., see Eckers, C. 686(1994)213
Hirokawa, T.
Bidirectional isotachophoresis. II. Fifteen electrolyte systems covering the pH range 3.5–10 686(1994)158
Horváth, C., see Freitag, R. 686(1994)165
Hutton, K.A., see Eckers, C. 686(1994)213
Ip, D.P., see Qin, X.-Z. 686(1994)205
Ishii, K., Minato, K., Nishimura, N., Miyamoto, T. and Sato, T.
Direct chromatographic resolution of four optical isomers of diltiazem hydrochloride on a Chiralcel OF column 686(1994)93
Jacewicz, V.W., see Eckers, C. 686(1994)213
Jusiak, L., see Gołkiewicz, W. 686(1994)85
Kim, Y.J. and Cramer, S.M.
Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193
Kirkland, J.J., see Chloupek, R.C. 686(1994)45
Kirkland, J.J., see Hancock, W.S. 686(1994)31
Kremer, D.M., see Nores, G.A. 686(1994)155

Kuczyński, J., see Gołkiewicz, W. 686(1994)85
Laugel, C., Chaminade, P., Baillet, A. and Ferrier, D.
Ion-pair reversed-phase liquid chromatographic determination of dihydralazine 686(1994)344
Lee, H.G. and Desiderio, D.M.
Preparative capillary zone electrophoresis of synthetic peptides. Conversion of an autosampler into a fraction collector 686(1994)309
Lee, H.K., see Ong, C.P. 686(1994)319
Lemr, K., Zanette, M. and Marcomini, A.
Reversed-phase high-performance liquid chromatographic separation of 1-naphthyl isocyanate derivatives of linear alcohol polyethoxylates 686(1994)219
Levi, S., see Ball, H.L. 686(1994)73
Li, S.F.Y., see Ong, C.P. 686(1994)319
Liapis, A.I., see Tongta, A. 686(1994)21
Lu, T. and Gray, H.B.
Combined pH gradient and anion-exchange high-performance liquid chromatographic separation of oligodeoxyribonucleotides 686(1994)339
Marchylo, B.A., see Chloupek, R.C. 686(1994)45
Marcomini, A., see Lemr, K. 686(1994)219
Markowski, W., see Gołkiewicz, W. 686(1994)85
Mascagni, P., see Ball, H.L. 686(1994)73
McGuffin, V.L., see Tavares, M.F.M. 686(1994)129
Minato, K., see Ishii, K. 686(1994)93
Miyamoto, T., see Ishii, K. 686(1994)93
Mizutamari, R.K., see Nores, G.A. 686(1994)155
Moriguchi, S., Naito, K. and Takei, S.
Adsorption effects on retention behaviour of hydrocarbons in gas–liquid and gas–solid chromatography with the use of modified alumina coated with diphenyl phthalate as column packings 686(1994)101
Naito, K., see Moriguchi, S. 686(1994)101
Ng, C.L., see Ong, C.P. 686(1994)319
Nielsen, K.R. and Foley, J.P.
Zone sharpening of neutral solutes in micellar electrokinetic chromatography with electrokinetic injection 686(1994)283
Nishimura, N., see Ishii, K. 686(1994)93
Nores, G.A., Mizutamari, R.K. and Kremer, D.M.
Chromatographic tank designed to obtain highly reproducible high-performance thin-layer chromatograms of gangliosides and neutral glycosphingolipids 686(1994)155
Ong, C.P., Ng, C.L., Lee, H.K. and Li, S.F.Y.
Separation of imidazole and its derivatives by capillary electrophoresis 686(1994)319
Orsi, A., see Bossi, A. 686(1994)121
Pedersen-Bjergaard, S. and Greibrokk, T.
N-, O- and P-selective on-column atomic emission detection in capillary gas chromatography 686(1994)109
Peters, R.J.B., De Leer, E.W.B. and Versteegh, J.F.M.
Identification of halogenated compounds produced by chlorination of humic acid in the presence of bromide 686(1994)253
Pohjola, J. and Harpf, M.
Determination of atropine and obidoxime in automatic injection devices used as antidotes against nerve agent intoxication 686(1994)350
Qin, X.-Z., Tsai, E.W., Sakuma, T. and Ip, D.P.
Pharmaceutical application of liquid chromatography–mass spectrometry. II . Ion chromatography–ion spray mass spectrometric characterization of alendronate 686(1994)205
Righetti, P.G., see Bossi, A. 686(1994)121
Sakuma, T., see Qin, X.-Z. 686(1994)205
Sanchez, E.I., see Alvarez, C. 686(1994)333
Sato, T., see Ishii, K. 686(1994)93
Schmidli, H., see Grize, Y.-L. 686(1994)1
Shi, J.Y. and Goffe, R.A.
Comprehensive study on binding capacity of human immunoglobulin G to Avid AL affinity gel 686(1994)61
Shortt, D.W.
Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11
Siehr, D.J., see Tongta, A. 686(1994)21
Snyder, L.R., see Chloupek, R.C. 686(1994)45
Snyder, L.R., see Hancock, W.S. 686(1994)31
Stahl, R.
Routine determination of anions by capillary electrophoresis and ion chromatography 686(1994)143
Strumia, M., see Alvarez, C. 686(1994)333
Suen, S.-Y. and Etzel, M.R.
Sorption kinetics and breakthrough curves for pepsin and chymosin using pepstatin A affinity membranes 686(1994)179
Takei, S., see Moriguchi, S. 686(1994)101
Tavares, M.F.M. and McGuffin, V.L.
Separation and characterization of tetracycline antibiotics by capillary electrophoresis 686(1994)129
Tongta, A., Liapis, A.I. and Siehr, D.J.
Equilibrium and kinetic parameters of the adsorption of α-chymotrypsinogen A onto hydrophobic porous adsorbent particles 686(1994)21
Tsai, E.W., see Qin, X.-Z. 686(1994)205
Valverde, A., see Fernandez-Alba, A.R. 686(1994)263
Versteegh, J.F.M., see Peters, R.J.B. 686(1994)253
Vetter, W. and Walther, W.
Pyrrolidides as derivatives for the determination of the fatty acids of triacylglycerols by gas chromatography 686(1994)149
Vogt, C. and Werner, G.
Speciation of heavy metals by capillary electrophoresis 686(1994)325
Walther, W., see Vetter, W. 686(1994)149
Wells, R.J., see Aumatell, A. 686(1994)293
Werner, G., see Vogt, C. 686(1994)325
Wong, D.K.Y., see Aumatell, A. 686(1994)293
Zanette, M., see Lemr, K. 686(1994)219